

B

C

E

公差表

REV	ECN NO	LOCATIONS	DESCRIPTION	DATE	CHANGER
A			新版本	2016-06-07	李国常

■ SPECIFICATIONS

- Voltage rating: 600V AC, DC
- Current rating: 1A, AC, DC
- Withstanding Voltage: 1500V AC/minute
- Insulation resistance: 1000MΩ min
- Temperature range: -40°C~+85°C
- Contact resistance: 10mΩ max

WAFER

Part No: W4001R-NP

Part No: W4001R-NP

Part No: W4001R-NP

4

4

 深圳市康利通电子科技有限公司

TOLERANCE

0±0.30

.0±0.25

.00±0.20

.000±0.015

VER No SIZE

A A4

成品规格图

TITLE	成品规格图		SCALE	1:1	VER No	SIZE
CHECKED BY	DATE	2016-06-07	SCALE	1:1	VER No	SIZE
DRAWN BY	UNIT:mm					
李国常	PART No	W4001R-NP				

B

C


D

E

F

1

V4001SR-05N02	8.00	14.00	10.80
V4001SR-05N03	8.00	14.00	10.80
V4001SR-07N05	12.00	18.00	14.80
W4001SR-07N04L	12.00	18.00	14.80
V4001SR-07N04	12.00	18.00	14.80
V4001SR-07N03	12.00	18.00	14.80
V4001SR-09N04	16.00	22.00	18.80



W4001SR-09N04

KLT 深圳市康利通电子科技有限公司

TOLERANCE

0±0.30

.0±0.25

.00±0.20

.000±0.015

TITLE	成品规格图	
CHECKED BY	DATE	SCALE
	2016-06-07	1:1
DRAWN BY	UNIT:mm	VER No
李国常		A
PART No	W4001SR-NR	SIZE
		A4

LAYOUT

B

C

D

E

F